



SUVIRA *Lifters*

- SUVIRA Projector Cube Lifts
- SUVIRA Projector Scissors Lifts
- SUVIRA LCD Lifts
- SUVIRA TV Lifts
- SUVIRA Smart Lifts

SUVIRA

PROJECTOR CUBE LIFT

SUVIRA Projector CUBE lifts are powered by strong tubular motors for a simplified design, Also maintain regeneration when get Disconnected



SPECIFICATION

External size when Closed:	440* 525*475 mm
Decoration hole size:	
Min height of ceiling:	465 mm
Running Distance:	1100 mm
Loading capacity:	20 kg
Voltage:	220V / 110V
Color:	White, Black
Mounting Kit:	Come complete with spider projector bracket suitable for all DLP/LCD Projector.
Weight:	40.0 kg
CONTROLS:	R.F remote control and Control panel
MOTOR:	Powerful Tubular Motor

SUVIRA

PROJECTOR SCISSORS LIFT

SUVIRA projector Scissors Lifts is one of the most stylish and durable projector lift in the growing market . Comes with an closure ceiling panel tray which also help you to simply attach any ceiling tile to match the surrounding ceiling.

Weighing at only 17kg, it can be installed without disturbing the ceiling framework. Most suitable for posh office, boardroom, conference room and residential home.



SPECIFICATION

External size when Closed:	280* 358*165 mm
Decoration hole size:	410*410 mm
Min height of ceiling:	165+300 mm
Running Distance:	1000mm
Loading capacity:	15kg
Voltage:	220V / 110V
Color:	White
Mounting Kit:	Come complete with spider projector bracket suitable for all DLP/LCD Projector.
Weight:	20.0kg
CONTROLS:	R.F remote control and Control panel
MOTOR:	Powerful Gear Motor

FEATURES

- ✦ SUVIRA Pop up TV lift when mounted inside furniture
- ✦ Capable of raising or lowering an LCD or Plasma screen monitor at a touch of a button
- ✦ Suitable for most flat TVs with upto 42 inch screens, and in some cases upto 50 inch.
- ✦ Supplied with mounting bracket for the TV

SPECIFICATION

Input Voltage:	100~240VAC
Load Capacity:	700N
Speed:	25mm/s
Travel Length:	500mm
Duty Cycle:	10%, Max 2Min/18Min



With a compact design and high loading capacity of around 35kgs. **SUVIRA** Smart Lifts can be used as Table Lifts, Planetarium Lifts, in Compact Ceilings and also for loading heavy weight/theater projectors.

SPECIFICATION

Loading Capacity	35kg
Height	1500 mm from Ceiling/Floor Level(<i>projector Height+ Box height Extra</i>)
Columns	3
Control	Remote & Control Unit
Speed	15mm/s(2000N)
Limit Switches	Inner
Type of Duty	S2-10min
Shock Proof	Yes
Moisture Proof	Yes
Anti Rust	Yes



FEATURES

- ✦ This product is designed to protect and conceal LCD monitors, and make more space available on the desk.
- ✦ Artistic and streamlined shape faceplate in alloy aluminum / steel available.
- ✦ Automatic opening and closure of the decor plate.
- ✦ Adjustable viewing angle: 5 degrees.
- ✦ Communication via RS232/485 protocol, or other brand of integrated control system.
- ✦ Wireless remote control.
- ✦ Power consumption: 14/15 Watts.
- ✦ Very easy operation for any user to control all lifts UP/DOWN together by one remote controller.



SPECIFICATION

Model	SVRMML-15	SVRMML-17	SVRMML-19	SVRMML-21
Top Plate Size	442X132X3	475X170X3	525X180X3	555X180X3
Cabinet Size	430X120X546	456X156X606	500X165X650	530X163X680
Opening Cover Size	385X71	405X81	450X90	480X90
Monitor Size	≤375X310X55	≤395X340X65	≤440X385X75	470X415X 75
Voltage	220	220	220	220
Frequency	50-60HZ	50-60HZ	50-60HZ	50-60HZ
Power	20W	20W	20W	20W
Load Capacity	5Kg	5Kg	8Kg	12Kg
N.W.	13.5Kg	14.5Kg	16.5Kg	18Kg